

TELLA TOOL & MFG. CO
- FACILITY LIST -

DESCRIPTION

Date: 1/2/06

1015 & 1008 Ridge Ave. Lombard, Illinois

STAMPING PRESSES

- MACH – 1017 **Minster – 600 Ton**, Model: E2H-600-146X59-SG, Serial No.E2H-600-30217, Single-Gear Twin-End. Twin Drive. 146” x 59.0” Bed, 11.8” Stroke, 10.2” Shut Height, 25 – 70 S.P.M.
Equipped with:
Minster Electric Feed, Model: MEF7-50S. Min Stock Width 2.00”. Max Stock Width 50.00”.
Min Stock Thickness 0.030” and Max Stock Thickness 0.375”.
Minster Straightener, Model: MSH30-50-7. Max Strip Width 50.0” and Min Strip Width 2.0”.
Max Strip Thickness 0.020” and Min Strip Thickness 0.29”.
Minster Single Reel, Model: MRH20-50S.
Minster Coil Car, Model: MCCH-35.
- MACH – 1016 **Stamtec – 600 Ton**, Model: S2-600-144-60, Serial No. 70732, Double Geared Twin End Drive 2 Point Straight Side Punch Press, 144” x 60” Bed, 11.8” Stroke, 26” Shut Height, 20 – 40 S.P.M..
Equipped with:
Littell Roll Feeder, Model: 93375.98; Littell Straightener, Model: 93377.98; Littell Un-Coiler, Model: 93379-98; Littell material Leveler; Die Pro Protection System; Triad, Model: TR-24-2F-20, Safety Curtains.
- MACH – 0403 **Sutherland – 400 Ton**, Model: D350-015385, Straight Side Punch Press, 51” x 122” Bed, 10” Stroke, 30” Shut Height 20-50 S.P.M..
Equipped with:
Roe, Model: PM-FAC-053-240, 36” Wide Digital Roll Feeder; Littell, Model: 91467.94 Straightener; Littell, Model: 91468-94 Auto Centering Uncoiler; DiPro, Model: 1500, Die Protection System; Triads, Model: TR-24-2F-20, Safety Curtains.
- MACH – **Minster – 300 Ton**, Model: P2-H 48” x 96" Bed, 10” Stroke, 24” Shut Height, 60 S.P.M..
Equipped with:
- MACH – 0415 **Niagra – 250 Ton**, Model; SC2-200-60-42, Straight Side Punch Press, 42” x 60” Bed, 16” Stroke, 26” Shut Height.
Equipped with:
TT#0509 Jaybird, Model: J15-2424, 10 Roll, 24” Straightener/Deed Oilier; Jaco, Model: JTWR6024, Auto Centering Stock Reel; Clarktron Rimfire #3 Die Safety; Weldtron, Model: 8003-B Safety Control; Shadow VIs Safety Curtains; Die Pro Die Protection System.
- MACH – 0417 **Bliss – 200 Ton**, Model: HP-200-48-36, Straight Side Punch Press, 36” x 48” Bed 4” Stroke, 22” Shut Height, 80-200 S.P.M..
Equipped with:
Vamco, Servo Feeder, Model: 4-8/13; Die Pro, Model: 1500, Die Protection System; Link Lite, Model: LL301 Safety Curtains; TT #0524 Turbo Brand, Model: 6297-8148 Part and Scrap Conveyor; TT # 0517 Copper Weymouth Coil Stock Cradle and Straightener.

DESCRIPTION

Date: 1/2/06

**1015 & 1008 Ridge Avenue Building
STAMPING PRESSES CONT'D**

- MACH – 0425 **Verson – 150 Ton**, Model: 82: OBI Punch Press, 32” x 50” Bed, 8” Stroke, 25” Shut Height.
Equipped with:
Tyco Automatic System; Dallas, Model: D250 Air Feeder.
- MACH – 1052 **Minster – 100 Ton**, Model: PS-100 Piece Make, 31” x 48” Bed, 4” Stroke, 25” Shut Height,
200 S.P.M..
Equipped with:
Vamco, Model: 2.5 12/14, Servo Feed; Littell 2000 lb. De-reeler; Di Pro, Model: 1500, Die
Protection System; Triad Safety Curtain, Model: TR-12-2F-20 Shadow VIs Safety Curtains.
- MACH - 0440 **Bliss – 100 Ton**, Model: HP2-100, 30” x 48” Bed, 3” Stroke, 19” Shut Height, 300 S. P.M.
Equipped with:
Bruderer, Model: 18-120, Power Coil Straightener; Littell 600 lb. De-reeler; Di Pro, Model:
1500, Die Protection System; Triad Safety Curtain, Model; TR-12-2F-20, Shadow VIs Safety
Curtains.
- MACH – 0442 **Mister – 100 Ton**, Model: PS-100 Piece Maker, 31” x 48” Bed, 4” Stroke, 25” Shut Height, 200
S.P.M.
Equipped with:
Vamco, Model: 2.5 12/14, Servo Feed; Di Pro, Model: 1500, Die Protection System; Triad
Safety Curtain, Model: TR-12-2F-20, Shadow VIs Safety Curtains, Coe Coil Reeler, Model:
CPR PO 2512, Serial No. 4064-1, Coil weight 2,500 lb. with 3 Pad Mandrel and 3 Anvil
Keepers Air Brake.
- MACH – 0447 **Minster – 75 Ton**, Model: P2-75-36, Straight Side Press, 31” x 36” Bed, 3” Stroke, 14” Shut
Height.
Equipped with:
Rapid Air, Model: #R58NA, De-reeler / Straightener; Di Pro, Model: 1500, Die Protection
System; Shadow VIs Safety Curtains.
- MACH – 1041 **Clearing – 75 Ton** OBI Punch Press, 21” x 36” Bed, 6” Stroke, 18” Shut Height.
Equipped with:
Dallas, Model: D250, Air Feed.
- MACH – 0447 **Minster – 75 Ton**, Model: P2-75-36, Straight Side Punch Press, 31” x 36” Bed, 3” Stroke, 14”
Shut Height.
Equipped with:
Vamco, Model: 2.5 4/6, Servo Feed; Rapid Air, Model: R58NA, De-reeler / Straightener; Di Pro
M3 1500 Die Protection System; Shadow VIs Safety Curtains.

DESCRIPTION

Date: 1/2/06

**1015 & 1008 Ridge Avenue Building
STAMPING PRESSES CONT.**

- MACH – 0461 **Minster – 60 Ton**, Model: P2-60-32 Piece Maker Straight Side Press, 32” x 60” Bed, 3” Stroke, 14” Shut Height, 100-300 S.P.M...
Equipped with:
Vamco, Model: TS6 Feed; Rapid Air, Model: R58NA, De-reeler / Straightener; Di Pro, Model: 1500, Die Protection System; Triad Safety Curtain, Model: TR-12-2F-20, Shadow VIs Safety Curtains.
- MACH – 0462 **L & J – 60 Ton**, Model: 60SS, High Speed Stamping Gap Frame Press, 18” x 32” Bed, 1” Stroke, 8” Shut Height, 540 S.P.M..
Equipped with:
Rapid Air, Model: SC-4, De-reeler / Straightener.
- MACH – 0450 **Verson – 60 Ton**, Model: 60, OBI Press, 21” x 36” Bed, 4” Stroke, 16” Shut Height with Die Cushion.
- MACH – 0460 **Bliss – 60 Ton** OBI Punch Press, 21” x 32” Bed, 2” Stroke, 15” Shut Height, 120 S.P.M..
Equipped with:
Coil Matic, Model: RF1212, Air Feeder.
- MACH – 1022 **Wasino – 60 Ton**, Model: PUX60, OBI Press, 15 ¾” x 19 2” Bed, 4 ¾” Stroke, 80 S.P.M..
- MACH – 0463 **Bliss – 45 Ton**, Model: C-45, OBI Press, 10 2” x 15” Bed, 4” Stroke, 12 2” Shut Height, 100 S.P.M.
- MACH – 0464 **Minster – 45 Ton**, Model: 5, OBI Press , 18” x 28” bed, 4” Stroke, 12 ¾” Shut Height, 120 S.P.M.
- MACH – 0465 **Walsh – 38 Ton**, Model: 38, OBI Press, 18” x 30” Bed, 4” Stroke, 9” Shut Height, 50- 290 S.P.M..
Equipped with:Fawwick Clutch Control; Clarktron Rimfire # 3 Die Protection System.
- MACH – 0483 **Walsh – 28 Ton**, Model: 28, Gap Type Punch Press, 22” x 23” Bed, 6” Stroke, 135 S.P.M..

LASER

- MACH – 0980 **Trumpf Laser, Model: 2600**, Turbo 60” x 120” Working Area.
- MACH – 0985 **Schrieber, Model: 500**, AC, 500 Ton Air Cooled Water Chiller.

DESCRIPTION

Date: 1/2/06

**1015 & 1008 Ridge Avenue Building
TURRET PRESSES**

- MACH – 0105 **Raskin, Model: RT-85**, C.N.C Turret Punch Press – 34 Ton, 20 Tool Station, 40” x 40” Bed, with OP-C Fanuc Control.
- MACH – 0110 **Raskin, Model: RT-85**, C.N.C Turret Punch Press – 34 Ton, 20 Tool Station, 40” x 40” Bed, with OP-C Fanuc Control.
- MACH – 0115 **Raskin, Model: RT-132**, C.N.C Turret Punch Press – 45 Ton, 24 Tool Station, 50” x 60” Bed, with OP-C Fanuc Control.
- MACH – 0116 **Raskin, Model: RT-85**, C.N.C Turret Punch Press – 34 Ton, 20 Tool Station, 40” x 40” Bed, with PC800 Control.
- MACH – 0117 **Raskin, Model: RT-145**, C.N.C Turret Punch Press – 40 Ton, 30 Tool Station, 60” x 80” Bed, with PC800 Control.
- MACH – 0140 **Whitney Jensen, Model: 68**, 24” Foot Press with Stand and Work Table.
- MACH – 0150 **Whitney Jensen, Model: 58**, 24” Foot Press with Stand and Work Table.
- MACH – 0155 **Strippit, Model: R331**, Single Station Punch Press.
- MACH – 1050 **Strippit, Model; FC-1000-111**, C.N.C. Turret Punch Press, 33 Tool Stations, 37” x 48” Bed, with G.E. – OP Control & CRT Display, 2 Auto Indexing.
- MACH – 0300 **Wysong – 175 Ton**, Model: R74-175 x 122, Serial No. RT -17-106-A, 10” Overall capacity, C.N.C. Hydraulic Press Brake High Speed Capability with Cyblec #3 Axis Control.
- MACH – 0935 **Beyeler – 100 Ton**, 10’ Overall Capacity, C.N.C. Hydraulic Press Brake with Cyblec # 6 Axis Control.
- MACH – 0750 **Wysong, Model: MTH 60/72** Hydraulic Press Brake with Hurco Back Gauge.
Equipped with:
Hurco auto bend gauging system Model: A87-SP11, Y-Axis for auto bend system voltage 440 3 phase.
- MACH – 0707 **Wysong, Model: MTH 60/72** Hydraulic Press Brake with Hurco Back Gauge. Serial No. MT1-
Equipped with:
Hurco auto bend gauging system Model: A87-SP11, Y-Axis for auto bend system voltage 440 3 phase.
- MACH – 0310 **Tarasconi – 80 Ton**, Model: T-80, 10’ Overall Capacity, Hydraulic Press Brake with Hurco #2 Axis Back Gauge.
- MACH – 0325 **Tarasconi – 25 Ton**, Model: T-25, 4’ Overall Capacity, Hydraulic Press Brake with Bausch & Lomb ACU-RITE – D.R.O. Control.
- MACH – 0330 **Tarasconi – 20 Ton**, Model: T-25, 4’ Overall Capacity, Hydraulic Press Brake.

DESCRIPTION

Date: 1/2/06

1015 & 1008 Ridge Avenue Building

SHEARS

MACH – 0200 **Cincinnati, Model: 2500**, 10 Foot C.N.C. Hydraulic Shear with Power Knife Clearance and Pneumatic Sheet Supports.

WELDING

MACH – 0215 **Panasonic, Model: AW-0660**, Robotic Welder, 6 Axis and 360 Degree Rotating Table.

MACH – 0220 **J.S. Manor, Model: JS-552M-B20**, 5 Stage Wash System, 20” Belt, Dionized Water Wash System with 2 Stage Dryer.

MACH – 0900 **Panasonic, Model: AW-005 AL**, Robotic Welder, 6 Axis and 360 Degree Rotating Table.

MACH – 0905 **Sciaky, Model: PMCO4ST-200-36**, 200 KVA Spot Welder with Control, Government Certified Aluminum.

MACH – 0910 **Sciaky, Model: SPTICI-22-75-19**, 75 KVA Spot Welder, Government Certified Aluminum.

MACH – 0915 **Banner, Model: 1SP030**, 30 KVA, 12” Throat Spot Welder with Robotron Control.

MACH – 0920 **Hughes Aircraft, Model: VTA-60**, Precision Spot Welder with VTW-30C Stored Energy Power Supply.

MACH – 0925 **Hughes Aircraft, Model: VTA-71**, Precision Spot Welder with VTW-30C Stored Energy Power Supply.

MACH – 0966 **Miller Portable Spot Welder**, Style No. LD-24, Spot Weld Timer.

MACH – 0973 **Miller Syncrowave 350 LX** Welder CC. AC/DC.

MACH – 0975 **Nelson, Model: 101**, Stud Welding System.

MACH – 1210 **Miller, Model: 300**, Portable Mig Welder.

MACH – 1300 **Miller, Model: 300**, Portable Mig Welder.

MACH – 0945 **Lincoln, Model: AC225S**, Amp Arc Welder with Accessories.

MACH – 0950 **Acetylene Welding** Outfit with Tanks, Torches, Tips, Etc..

MACH – 0955 **Miller Electric, Model: #350A/Bp**, High Frequency Arch Welder with Floor Switch.

DESCRIPTION

Date: 1/2/06

**1015 & 1008 Ridge Avenue Building
ASSEMBLY EQUIPMENT**

- MACH – 0550 **Chicago Rivet Machine** with Touch-O-Matic and Foot Switch, Model: 450 Serial No. 3919-SS.
- MACH – 0606 **Walker Turner, Model: 1142-41**, 20” Capacity Floor Type Drill Press.
- MACH – 0610 **Coil Matic, Model: EBL-1830**, Pneumatic Feeder.
- MACH – 0615 **Snow, Model: 3-TBR**, Floor Model Threading and Tapping Machine.
- MACH – 0620 **Snow, Model: TA-1A**, Floor Model Threading and Tapping Machine.
- MACH – 0625 **Delta, Model: 15-655**, 15” – 4 Spindle Drill Press.
- MACH – 0630 **Walker Turner, Model: 1143** – 18” 3 Spindle Drill Press.
- MACH – 0635 **Clausing , Model: 1687** – 3 Spindle Variable Speed Drill Press.
- MACH – 0755 **Chicago Reivet , Model: 450**, Bench Model Riveter.
Equipped with: Automatic Feeding Rotary Hopper and Foot Actuated Clutch.
- MACH – 0810 PemSerter, Model: 2000 Series.
- MACH – 0545 **Taumel Noiseless Rivet Machine, Model BK-100-NM**.
- MACH – 0735 **Chicago Rivet, Model: 45-845**, Bench Type Riveting Machine.
- MACH – 0760 **Auto Sert Press Rivet Machine**, Model: AS-7.

DEBURRING

- MACH – 0820 **Ramco, Time Saver, Model: 37T60**, Wet Abrasive Belt Deburring Machine. SN: 3356
- MACH – 0835 **WM. Boulton, Model: FM-10**, 48” diameter media Type Vibratory Deburring Machine.
- MACH – 0837 **UltraMatic, Model: SVB-20**, 63” diameter media Type Vibratory Machine.
- MACH – 0840 **WM. Boulton**, 12” diameter Media Type Vibratory Deburring Machine.
- MACH – 0845 **Zero Blast-N-Pen, Model: BNP161**, Abrasive Blasting Machine.

DESCRIPTION

Date: 1/2/06

1015 & 1008 Ridge Avenue Building

SURFACE GRINDERS

- MACH – 1030 **Blohm, Model: Hanseat 7**, 12” x 30” Automatic Surface Grinder with Magnetic Chuck, Coolant and Pump.
- MACH – 1034 **Boyer Schultz – Challenger, Model: H612**, Surface Grinder with 6” x 12” Magnetic Chuck and Dust Collector Base.
- MACH – 1036 **Boyer Schultz – Challenger, Model: H612**, Surface Grinder with 6” x 12” Magnetic Chuck and Dust Collector Base.
- MACH – 1040 **Boyer Schultz – Challenger, Model: H612**, Surface Grinder with 6” x 12” Magnetic Chuck and Dust Collector Base.

CMM

- MACH – 1100 **Metalsoft Fabrivation 4600** Inspection Machine, maximum Part Size 48” x 72”, 8 CCD Cameras 5 minute Scan Time for maximum Size Part, IBM-AT Compatible Computer, 3GB Ram, 360GB Hard Disc and Monitor Infrared with Metalsoft Fabricam Programming System.

FEED EQUIPMENT

- MACH – 0706 **Coe, Model: CF-250**, Straightener / Feeder, 12” x 18” Length.
- MACH – 0502 **Bruderer, Model: 18-120**, Power Coil Stock Feeder and Straightener.
- MACH – 0505 **Dallas, Model: 250**, Air Feed.
- MACH – 0509 **Jaybird, Model: J15-2424**, 10 Roll, 24” Stock Feed Straightener.
- MACH – 0522 **Jaco, Model: JTWR6024**, Auto Centering Stock Reel.
- MACH – 0528 **Coe Air Feeder, Model: CF-500**, 36” x 24” Feeder.
- MACH – 0537 **Rowe, Model: A10**, Straightener.
- MACH – 0543 **Bruderer** Straightener.
- MACH – 0548 **Rapid Air**, Uncoiler / Straightener.
- MACH – 0531 **Air Feed Inc., Model: R60 x 18**, Powdered Reel.
- MACH – 0532 **American Steel Line, Model: 1000**, Un-coiler.
- MACH – 0706 **Coe, Model: CF-250**, Straightener / Feeder, 12” x 18” Length.

DESCRIPTION

Date: 1/2/06

**1015 & 1008 Ridge Avenue Building
FEED EQUIPMENT CONT'D**

- MACH – 0645 **Vamco, Model: TS6**, Press Roller Feeder.
- MACH – 0704 **Vamco, Model: TS6**, Press Roller Feeder.
- MACH – 1355 **Rapid Air, Model: RTA**, Automatic Centering Reel Interthor Thork – Pallet Truck.
- MACH – 1391 **Vamco, Model: BK212**, Servo Feeder.
- MACH – 1394 **Vamco, Model: 2.5 / 12 / 14** Servo Feeder.
- MACH – 1450 **Bruderer**, Straightener.
- MACH – 1409 **Air Feed, Model: AF-1**, Straightener Feeder.
- MACH – 1429 **Vamco, Model: 4-8/13**, Servo Feed.

ALL OTHER EQUIPMENT

- MACH – 0640 **ATT 2 Ton** Floor Mounted Jib Crane.
- MACH – 0700 **Hartridge**, Serta-Bush, Hydraulic Fastener Insertion Machine with Automatic Feed Attachment.
- MACH – 0703 **Hartridge**, Serta-Bush, Model: #40100, Hardware Insertion Machine.
- MACH – 0705 **Hartridge**, Serta-Bush, Hydraulic Fastener Insertion Machine.
- MACH – 0708 **Helicoil Insertion Machine**, Model: 8510-10 SN: 41210694.
- MACH – 0709 **Helicoil Insertion Machine**, Model: 8676 SN: 3381090.
- MACH – 1032 **Gob** Vertical Band saw Type NS18, Serial No. 10265.
- MACH – 0500 **Detroit Testing Machine**, Model: #PT.
- MACH – 0503 **MEI** Custom Wet Exhaust Scrubber Dust Collector System.
- MACH – 0514 **Ingersoll Rand** 100 HP Screw Style Air Compressor, Model: EP100, Serial No. CK0124U98.
115 degree F. rated pkg. 15 degree F. CTD rated after cooler. Intellisys microprocessor.
- MACH – 0525 **A-Frame** Gantry System with CM 1 Ton Hoist, Model: H Style Hoist.
- MACH – 0529 **Timesaver** Tumbler Model: HZ-30, Serial No. 18688F.
- MACH – 0530 **Caterpillar** 5,000 lb. capacity electric lift truck, Model: M50D8A, Serial No. 8JC01955,
including 48 volt auto charger. Solid state electronic controls 189” lift height, 42” forks

DESCRIPTION

Date: 1/2/06

1015 & 1008 Ridge Avenue Building

ALL OTHER EQUIPMENT

- MACH – 0708 **Helicoil Insertion Machine**, Model: 8510-10 SN: 41210694.
- MACH – 0709 **Helicoil Insertion Machine**, Model: 8676 SN: 3381090.
- MACH – 0305 **Avdel Series #07535** – MK II Hydro Pneumatic Poer Tool Pantograph Workstation, Part No. 07535-00011, Serial No. 98/00041.
- MACH – 0710 **1990 Yale fork lift**, Model: ERC100HBN48SEO85, Serial No. 498604. 10,000 lb capacity Electric Lift Truck. At 24” load center 85” mast lowered, 170” full triple 60” long forks and overhead guard.
- MACH – 0715 **Heff-T Herman** Scissor Lift.
- MACH – 0720 **Custom** – Air Operated Bench Type Riveting Machine.
- MACH – 0730 **Economy** 1000 lb. Shop Lift Platform Truck.
- MACH – 0800 **Timesaver, Model: 137-2HDCCMW** – Speed belt Sander – Wet – Abrasive Belt Dual Head Deburring Machine with Scotch-Brite Wheel
- MACH – 0803 Kalamazoo
- MACH – 0923 **Raskin, Model: A-176 SA** Die Grinder.
- MACH – 0805 **AEM, Model: CS360**, Wide belt Deburring and Finishing Machine, Complete Wet System with
- MACH – 0815 **Emhart Pap Rivet** Workstation, Model: 001246
- MACH – 0850 **St. Louis # 6** Stroke Sander.
- MACH – 0855 **G & P Polishing Lathe**, Model: VS700, 14” 3” capacity.
- MACH – 0930 **Accu – Tapper** by: LSMW.
- MACH – 0965 **Liberty Industries, Model: 4.4**, Shrink Wrapping Machine.
- MACH – 1004 **NCI** – Weightronics Digital Scale, Model: 8230.
- MACH – 1020 **Rockford** Hardness Tester.
- MACH – 1028 **Ingersoll 60** Amp 12” x 24” Conventional Electrical Discharge Machine (EDM).
- MACH – 1045 **Cullen 7 Friestrot** – 6000 lb. Sheet Lifter.
- MACH – 1060 **NCI** – Weightronics Digital Scale, Model: 8230.

DESCRIPTION

Date: 1/2/06

1015 & 1008 Ridge Avenue Building

ALL OTHER EQUIPMENT

- MACH – 1062 **National Controls, Inc.** Model: 8250 Counting Scale.
- MACH – 1066 **G & P Model: VS-500**, Double End Polisher and Buffer.
- MACH – 1068 **Beach, Model: #3**, Stroke Sander and Fully Adjustable Table.
- MACH – 1076 **Harig Horizontal Surface Grinder**, Model: Super 618.
- MACH – 1099 **Toledo, Model: 31-1821FR**, 300 lb. Capacity, Dial Face Bench Type Platform Scale.
- MACH – 1110 **Brown & Sharpe** Height Gauge.
- MACH – 1120 **Crown** Pallet Truck.
- MACH – 1130 **Portman, Model: P5**, 24” Optical Comparitor.
- MACH – 1215 **AC** Pallet Truck.
- MACH – 1135 **Crown** Pallet Truck.
- MACH – 1136 **Crown** Pallet Truck.
- MACH – 1138 **Crown** Pallet Truck.
- MACH – 1140 **Crown** Pallet Truck.
- MACH – 1200 **Crown** Pallet Truck.
- MACH – 1205 **Interhor Thork** – Pallet Truck,
- MACH – 1206 **AC** Pallet Truck.
- MACH – 1303 **Milwaukee** Chaplet Bench Die Profiler.
- MACH – 1308 **Custom – Air** Operated Bench Type Riveting Machine.
- MACH – 1325 **Lift-A-Loft-Model: SP20-7.5**, Serial No. 2100, 20’ Man Lift, 30 x 84 Plate Form
- MACH – 1345 **Demag**, 5 Ton Overhead Bridge Crane, 35’ capacity, 3-Way Power Hoist with Pendant Control and Digital Scale.
- MACH – 1350 **Bushman, Model: 901**, 3 Ton Sheet Lifter.
- MACH – 1360 **Hoist** – Portable 5 Ton.

DESCRIPTION

Date: 1/2/06

1015 & 1008 Ridge Avenue Building

ALL OTHER EQUIPMENT

- MACH – 1365 **Aget FT-24** Central Dust Collector and Air Filter Unit.
- MACH – 1375 **Hertner, Model: 3TN18-960**, Electric Battery Charger.
- MACH – 1385 **Delta Rockwell, Model: 70-400**, Drill Press 20”.
- MACH – 1392 **Crown, Model: WT-110**, 1500 lb. Electric Walk behind Fork Truck.
- MACH – 1395 **Bushman – 5 Ton**, Model: M5600 Sheet Lifter.
- MACH – 1397 **Dayton Rogers** Portable Self Adjusting Swing Sander.
- MACH – 1398 **Brown & Sharpe D.D.C. EXCEL 7-6-5** Measuring Range 25.6” x 23.6” x 19.7”.
- MACH – 1399 **Brown & Sharpe**, 60” x 36”, 2 Ledge Granite Surface Plate.
- MACH – 0120 **B & L Optical Comparitor**, Model: Vert 20”, KD184
- MACH – 0135 **Weigh-Tronix, Inc.**, Model: 600, 48” x 48” Platform Scale with table Top secondary Scale and Computer Counting Device.
- MACH – 1407 **Gardner Denver**, Model: ECPQMC, 100 H.P. Screw Type Air Compressor.
- MACH – 1485 **Wilkerson, Model: WRA-0500-4-04** Refrigerated Compresses Air Dryer with Coalescing Filter.
- MACH – 1495 **Rigid Pipe Threader**, Model: 300-12 S.N., FD.
- MACH – 0815 **Clark Lift Truck**, Model: EC-500-50F, 5000 lb. Capacity.
- MACH – 1074 **A-Frame** with 2 – 2 Ton CM style Hoist.
- MACH – 1078 **Big Joe** – 2000 lb. capacity Walk behind Lift.
- MACH – 1090 **Big Joe** – 2600 lb. capacity Walk behind Lift, Model: 3024.
- MACH – 1392 **Big Joe** – 3500 lb. capacity Vehicle, Model: B2-48.
- MACH – 1393 **Taylor Dunn** 3000 lb. capacity Vehicle, Model: B2-48.
- MACH – 1400 **Sullair** 25 HP Screw Type Air Compressor, Model: 10B-25.
- MACH – 1405 **Sullair** 25 HP Screw Type Air Compressor, Model: 10B-25.